CANADIAN JOURNAL OF CIVIL ENGINEERING/REVUE CANADIENNE DE GENIE CIVIL
VOLUME 5, 1978

AUTHOR INDEX/REPERTOIRE DES AUTEURS

Abdel-Sayed, G. Stability of flexible conduits embedded in soil, 324–333.
Adams, P. F. *See* Beaulieu, D.
Ashton, G. D. Numerical simulation of air bubbler systems, 231–238.
Ashton, G. D. *See* Keribar, R.
Ast, P. F. *See* Tso, W. K.
Aziz, T. S., Bakht, B., and Cheung, M. S. Distribution of wheel loads on bridge girders: Discussion, 139–141.
Azmi, M. H. *See* Robinson, H.
Baird, W. *See* Ouellet, Y.
Bakht, B. *See* Aziz, T. S.
Bakht, B. *See* Csagoly, P. F.
Barrett, J. D., and Foschi, R. O. Duration of load and probability of failure in wood. Part I. Modelling creep rupture, 505–514.
Barrett, J. D., and Foschi, R. O. Duration of load and probability of failure in wood. Part II. Constant, ramp, and cyclic loadings, 515–532.
Beaulieu, D., and Adams, P. F. The results of a survey on structural out-of-plumbs, 462–470.
Beaulieu, D., and Adams, P. F. The effects of wall out-of-plumbs on the stability of core-braced buildings, 471–478.
Beltaos, S. A strain energy criterion for failure of floating ice sheets, 352–361.
Beltaos, S., and Day, T. J. A field study of longitudinal dispersion, 572–585.
Bewtra, J. K., and Mavinic, D. S. Diffused aeration systems from theory to design, 32–41.
Bickley, J. A. *See* Ghosh, R. S.
Booth, L. G., and Malde, K. R. An approximate theory for the shear deflection of plywood panels, 301–310.
Cameron, R. D. Treatment of a complex landfill leachate with peat, 83–97.
Chan, M. Y. T. *See* Cheung, M. S.
Cheung, M. S. *See* Aziz, T. S.
Cheung, M. S., and Chan, M. Y. T. Finite strip evaluation of effective flange width of bridge girders, 174–185.
Cheung, M. S., and Chan, M. Y. T. Live load field test on the Muskwa River Bridge, 186–201.
Collins, M. P. *See* Uzumeri, S. M.
Croasdale, K. R., and Marcellus, R. W. Ice and wave action on artificial islands in the Beaufort Sea, 98–113.
Csagoly, P. F., and Bakht, B. In-plane buckling of steel trusses, 533–541.
Culham, G. A., and Ghali, A. Distribution of wheel loads on bridge girders: Reply, 141.
Daly, M. J. *See* Turkstra, M. J.
Danys, J. V. Ice management of Lac St. Pierre, Quebec, 374–390.
Day, T. J. *See* Beltaos, S.
Dolar-Mantuani, L. M. M. *See* Grattan-Bellew, P. E.
Eid, B. *See* James, W.
Engweiler, J. A. *See* Thompson, W. J.
Fahmy, E. H. *See* Robinson, H.
Fazio, P. *See* Moselhi, O.
Fisher, J. W. Fatigue cracking in bridges from out-of-plane displacements, 542–556.
Fisk, C. A transportation planning model for detailed traffic analyses, 18–25.
Foschi, R. O. *See* Barrett, J. D.
Fuller, R. G. John Scott Russell: Book Review, 283.
Fung, C. *See* Kennedy, J. B.
Ghali, A. *See* Culham, G. A.
Ghosh, R. S., and Bickley, J. A. A method for calculation of the maximum permissible thermal shock to avoid cracking in the construction of the CN Tower, 134–137.
Ghosh, R. S., and Senkiw, G. A. Load testing of prestressed concrete transmission pole and its concrete footing, 274–281.
Gilbert-Green, J. A. *See* Thompson, W. J.
Giroux, Y.-M. Limit states design in structural steel: Book Review, 282–283.
Given, P. W., and Smith, D. W. Performance, design and operation of northern extended aeration plants, 70–82.
Given, P. W., and Smith, D. W. Erratum: Performance, design and operation of northern extended aeration plants, 450.

Gocevski, V. *See* Pekau, O. A.
Gordon, J. L. Design criteria for exposed hydro penstocks, 340–351.
Gordon, J. L. *See* Thompson, W. J.
Grattan-Bellew, P. E., Sereda, P. J., and Dolar-Mantuani, L. M. M. The aggregate shortage and high alkali cement in a changing energy situation, 250–261.
Hakim, H. F. *See* Wright, P. M.
Harman, D. J., and Johnson, A. A. Analysis of buildings with interconnected shear walls, 157–163.
Harris, P. J. *See* Lee, H. P.
Hart, F. L. Preliminary design of the activated sludge system—standard codes versus kinetic model equations, 26–31.
Hoglund, G. M., and McBean, E. A. A screening model for heated discharge siting investigations, 239–249.
Hopper, H. R., Simonsen, C. P. S., and Poulier, W. J. S. Churchill River Diversion, Burntwood River Waterway: studies to evaluate winter regime, 586–594.
James, W., and Eid, B. Spatial distribution of the transient bed boundary condition for small lakes with weeds, 442–448.
James, W., and Eid, B. A three-dimensional model of Hamilton Harbour incorporating spatial distribution of transient surface drag, 479–488.
Johns, A. B. Composite open-web joists with formed metal floor: Discussion, 615–616.
Johnson, A. A. *See* Harman, D. J.
Keen, R. G. *See* Kennedy, J. B.
Kennedy, J. B., Madugula, M. K. S., Keen, R. G., and Fung, C. Cold-formed steel in composite bridge construction, 164–173.
Keribar, R., Tankin, R. S., and Ashton, G. D. Computer simulation of bubbler-induced melting of ice covers using experimental heat transfer results, 362–366.
Khalil, D., and Sargious, M. A. Evaluation of transportation systems—a behavioural approach, 497–504.
Kite, G. W. Development of a hydrologic model for a Canadian watershed, 126–134.
Kulkarni, G. G., and Ng, S. F. Dynamic analysis of two dimensional simply supported orthotropic bridge decks, 58–69.
Lee, C.-L. *See* Tatinclaux, J.-C.
Lee, H. P., and Harris, P. J. A finite element investigation of the post-buckling strength of thin-walled structural members under compression, 595–610.
Lupien, R., and Redwood, R. G. Steel beams with web openings reinforced on one side, 451–461.
McBean, E. A. *See* Hoglund, G. M.
Madugula, M. K. S. *See* Kennedy, J. B.
Malde, K. R. *See* Booth, L. G.
Malhotra, V. M. Recycled concrete—a new aggregate, 42–52.
Marcellus, R. W. *See* Croasdale, K. R.
Mavinic, D. S. *See* Bewtra, J. K.
Meyerhof, G. G. Canadian railways in pictures: Book Review, 449.
Michel, B. The strength of polycrystalline ice, 285–300.
Moselhi, O., Fazio, P., and Zielinski, Z. Simplified analysis of wall-frame structures, 262–273.
Ng, S. F. *See* Kulkarni, G. G.
Olsen, H. E. *See* Sargious, M. A.
Otani, S. *See* Uzumeri, S. M.
Ouellet, Y., and Baird, W. L'érosion des rives dans le Saint-Laurent, 311–323.
Pekau, O. A., and Gocevski, V. Behaviour of coupled non-linear shear walls, 367–373.
Perham, R. E. Ice and ship effects on the St. Marys River ice booms, 222–230.
Pigeon, M. L'utilisation des résidus des mines d'amiante comme granulats dans les bétons, 557–571.
Poulier, W. J. S. *See* Hopper, H. R.
Ramachandran, V. S. Calcium chloride in concrete—applications and ambiguities, 213–221.
Redwood, R. G. *See* Lupien, R.
Rezansoff, T. Performance of lapped splices in reinforced concrete loaded beyond yielding of the steel, 489–496.
Robillard, L. Suppression de la couverture de glace par un rejet thermique, 53–57.
Robinson, H., and Fahmy, E. H. The design of partially connected composite open-web joists, 611–614.
Robinson, H., Fahmy, E. H., and Azmi, M. H. Composite open-web joists with formed metal floor, 1–10.
Robinson, H., Fahmy, E. H., and Azmi, M. H. Composite open-web joists with formed metal floor: Reply, 616–618.
Sargious, M. A. *See* Khalil, D.
Sargious, M. A., and Olsen, H. E. Systems analysis of airport parking facilities, 391–402.
Senkiw, G. A. *See* Ghosh, R. S.
Sereda, P. J. *See* Grattan-Bellew, P. E.
Shery, R. *See* Thompson, W. J.
Simonsen, C. P. S. *See* Hopper, H. R.
Smith, D. W. *See* Given, P. W.

Sullivan, B. E. Recent developments in regional transit for Greater Vancouver, 334–339.
Tankin, R. S. *See* Keribar, R.
Tatinclaux, J.-C., and Lee, C.-L. Initiation of ice jams—a laboratory study, 202–212.
Thompson, W. J., Engweiler, J. A., Gilbert-Green, J. A., Gordon, J. L., and Shery, R. Marsh Lake Dam, 143–156.
Thompson, W. J., Engweiler, J. A., Gilbert-Green, J. A., Gordon, J. L., and Shery, R. Erratum: Marsh Lake Dam, 619.
Tso, W. K., and Ast, P. F. Special considerations in design of an asymmetrical shear wall building, 403–413.
Turkstra, C., and Daly, M. J. Two moment structural safety analysis, 414–426.
Uzumeri, S. M., Otani, S., and Collins, M. P. An overview of Canadian code requirements for earthquake resistant concrete buildings, 427–441.
Wilson, C. R. Commentary on Section 4 *Sawn lumber* of CSA 086-1976 *Code for the engineering design of wood*, 11–17.
Wright, D. Equilibrium of shell structures: Book Review, 142.
Wright, P. M., and Hakim, H. F. Automated design of rigid steel frames including member selection, 114–125.
Yudcovitch, H. The basic philosophy and recent development of safety margins: Discussion, 138–139.
Zielinski, Z. *See* Moselhi, O.

CONTENTS / SOMMAIRE

MARCH/MARS

ARTICLES:

H. Robinson, E. H. Fahmy and M. H. Azmi Composite open-web joists with formed metal floor 1

Carl R. Wilson Commentary on Section 4 *Sawn lumber* of CSA 086-1976 *Code for the engineering design of wood* 11

C. Fisk A transportation planning model for detailed traffic analyses 18

Frederick L. Hart Preliminary design of the activated sludge system—standard codes versus kinetic model equations 26

Jatinder K. Bewtra and Donald S. Mavinic Diffused aeration systems from theory to design 32

V. M. Malhotra Recycled concrete—a new aggregate 42

Luc Robillard Suppression de la couverture de glace par un rejet thermique 53

G. G. Kulkarni and S. F. Ng Dynamic analysis of two dimensional simply supported orthotropic bridge decks 58

Patrick W. Given and Daniel W. Smith Performance, design and operation of northern extended aeration plants 70

Robert D. Cameron Treatment of a complex landfill leachate with peat 83

K. R. Croasdale and R. W. Marcellus Ice and wave action on artificial islands in the Beaufort Sea 98

Peter M. Wright and Hosny Fawzi Hakim Automated design of rigid steel frames including member selection 114

NOTES:

G. W. Kite Development of a hydrologic model for a Canadian watershed 126

Ram S. Ghosh and John A. Bickley A method for calculation of the maximum permissible thermal shock to avoid cracking in the construction of the CN Tower 134

DISCUSSIONS:

H. Yudcovitch The basic philosophy and recent development of safety margins: Discussion 138

Tarek S. Aziz, Baidar Bakht and M. S. Cheung Distribution of wheel loads on bridge girders: Discussion 139

G. A. Culham and A. Ghali Distribution of wheel loads on bridge girders: Reply 141

BOOK REVIEW:

Douglas T. Wright Equilibrium of shell structures 142

JUNE/JUIN

ARTICLES:

W. J. Thompson, J. A. Engweiler, J. A. Gilbert-Green, J. L. Gordon, and R. Shery Marsh Lake Dam 143

D. J. Harman and A. A. Johnson Analysis of buildings with interconnected shear walls 157

John B. Kennedy, Murty K. S. Madugula, Robert G. Keen, and C. Fung Cold-formed steel in composite bridge construction 164

M. S. Cheung and M. Y. T. Chan Finite strip evaluation of effective flange width of bridge girders 174

M. S. Cheung and M. Y. T. Chan Live load field test on the Muskwa River Bridge 186

Jean-Claude Tatinclaux and Chu-Liang Lee Initiation of ice jams—a laboratory study 202

V. S. Ramachandran Calcium chloride in concrete—applications and ambiguities 213

Roscoe E. Perham Ice and ship effects on the St. Marys River ice booms 222

George D. Ashton Numerical simulation of air bubbler systems 231

Glen M. Hoglund and Edward A. McBean A screening model for heated discharge siting investigations 239

P. E. Grattan-Bellew, P. J. Sereda, and L. M. M. Dolar-Mantuani The aggregate shortage and high alkali cement in a changing energy situation 250

O. Moselhi, P. Fazio, and Z. Zielinski Simplified analysis of wall-frame structures 262

NOTE:

Ram S. Ghosh and George A. Senkiw Load testing of prestressed concrete transmission pole and its concrete footing 274

BOOK REVIEWS:

Yves M. Giroux Limit states design in structural steel 282

Ronald G. Fuller John Scott Russell 283

SEPTEMBER/SEPTEMBRE

ARTICLES:

Bernard Michel The strength of polycrystalline ice 285

L. G. Booth and K. R. Malde An approximate theory for the shear deflection of plywood panels 301

Yvon Ouellet et William Baird L'érosion des rives dans le Saint-Laurent 311

George Abdel-Sayed Stability of flexible conduits embedded in soil 324

Brian E. Sullivan Recent developments in regional transit for Greater Vancouver 334

J. L. Gordon Design criteria for exposed hydro penstocks 340

S. Beltaos A strain energy criterion for failure of floating ice sheets 352

Rifat Keribar, Richard S. Tankin, and George D. Ashton Computer simulation of bubbler-induced melting of ice covers using experimental heat transfer results 362

O. A. Pekau and Vladimir Gocevski Behaviour of coupled non-linear shear walls 367

J. V. Danys Ice management of Lac St. Pierre, Quebec 374

Michel A. Sargious and Harvey E. Olsen Systems analysis of airport parking facilities 391

W. K. Tso and P. F. Ast Special considerations in design of an asymmetrical shear wall building 403

Carl Turkstra and Michael J. Daly Two moment structural safety analysis 414

S. M. Uzumeri, S. Otani, and M. P. Collins An overview of Canadian code requirements for earthquake resistant concrete buildings 427

William James and Basem Eid Spatial distribution of the transient bed boundary condition for small lakes with weeds 442

BOOK REVIEW:

G. G. Meyerhof Canadian railways in pictures 449

ERRATUM:

Patrick W. Given and Daniel W. Smith Erratum: Performance, design and operation of northern extended aeration plants 450

DECEMBER/DECEMBRE

ARTICLES:

Roger Lupien and Richard G. Redwood Steel beams with web openings reinforced on one side 451

Denis Beaulieu and Peter F. Adams The results of a survey on structural out-of-plumbs 462

Denis Beaulieu and Peter F. Adams The effects of wall out-of-plumbs on the stability of core-braced buildings 471

William James and Basem Eid A three-dimensional model of Hamilton Harbour incorporating spatial distribution of transient surface drag 479

T. Rezansoff Performance of lapped splices in reinforced concrete loaded beyond yielding of the steel 489

D. Khalil and M. A. Sargious Evaluation of transportation systems—a behavioural approach 497

J. D. Barrett and R. O. Foschi Duration of load and probability of failure in wood. Part I. Modelling creep rupture 505

J. D. Barrett and R. O. Foschi , Duration of load and probability of failure in wood. Part II. Constant, ramp, and cyclic loadings 515

Paul F. Csagoly and Baidar Bakht In-plane buckling of steel trusses 533

John W. Fisher Fatigue cracking in bridges from out-of-plane displacements 542

Michel Pigeon L'utilisation des résidus des mines d'amiante comme granulats dans les bétons 557

S. Beltaos and T. J. Day A field study of longitudinal dispersion 572

H. R. Hopper, C. P. S. Simonsen, and W. J. S. Poulier Churchill River Diversion, Burntwood River Waterway: studies to evaluate winter regime 586

H. P. Lee and P. J. Harris A finite element investigation of the post-buckling strength of thin-walled structural members under compression 595

NOTE:

H. Robinson and E. H. Fahmy The design of partially connected composite open-web joists 611

DISCUSSIONS:

A. B. Johns Composite open-web joists with formed metal floor: Discussion 615

H. Robinson, E. H. Fahmy, and M. H. Azmi Composite open-web joists with formed metal floor: Reply 616

ERRATUM:

W. J. Thompson, J. A. Engweiler, J. A. Gilbert-Green, J. L. Gordon, and R. Shery Erratum: Marsh Lake Dam 619